

## 兔抗 ADCY9 多克隆抗体

中文名称： 兔抗 ADCY9 多克隆抗体

英文名称： Anti-ADCY9 rabbit polyclonal antibody

别 名： AC9

相关类别： 一抗

储 存： 冷冻 (-20°C) 避光

宿 主： Rabbit

抗 原： ADCY9

反应种属： Human

标记物： Unconjugate

克隆类型： Unconjugate

技术规格

<b>Background:</b>	Adenylate cyclase is a membrane bound enzyme that catalyses the formation of cyclic AMP from ATP. It is regulated by a family of G protein-coupled receptors, protein kinases, and calcium. The type 9 adenylyl cyclase is a widely distributed adenylyl cyclase, and it is stimulated by beta-adrenergic receptor activation but is insensitive to forskolin, calcium, and somatostatin.
<b>Applications:</b>	WB, IHC
<b>Name of antibody:</b>	ADCY9
<b>Immunogen:</b>	Synthesized peptide derived from N-terminal of human ADCY9.
<b>Full name:</b>	adenylate cyclase 9
<b>Synonyms :</b>	AC9
<b>SwissProt:</b>	O60503
<b>IHC positive control:</b>	Human lung carcinoma tissue
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	151 kDa
<b>WB Positive control:</b>	Huvec cells lysate
<b>WB Recommended dilution:</b>	500-3000



