

兔抗 ABCB9 多克隆抗体

中文名称：兔抗 ABCB9 多克隆抗体

英文名称：Anti-ABCB9 rabbit polyclonal antibody

别名：TAPL, EST122234

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：ABCB9

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

The membrane-associated protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MDR/TAP subfamily. Members of the MDR/TAP subfamily are involved in multidrug resistance as well as antigen presentation. This family member functions in the translocation of peptides from the cytosol into the lysosomal lumen. Alternative splicing of this gene results in distinct isoforms which are likely to have different substrate specificities.

| | |
|---------------------------------|--|
| Applications: | ELISA, WB, IHC |
| Name of antibody: | ABCB9 |
| Immunogen: | Synthetic peptide of human ABCB9 |
| Full name: | ATP-binding cassette, sub-family B (MDR/TAP), member 9 |
| Synonyms: | TAPL, EST122234 |
| SwissProt: | Q9NP78 |
| IHC positive control: | Human gastric cancer and human breast cancer |
| IHC Recommend dilution: | 15-50 |
| WB Predicted band size: | 84 kDa |
| WB Positive control: | Hela cells |
| WB Recommended dilution: | 200-1000 |



