

## 兔抗 APOBEC3D 多克隆抗体

中文名称：兔抗 APOBEC3D 多克隆抗体

英文名称：Anti-APOBEC3D rabbit polyclonal antibody

别名：A3D; ARP6; APOBEC3E; APOBEC3DE

相关类别：一抗

储存：冷冻（-20℃）

抗原：APOBEC3D

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

|                          |  |
|--------------------------|--|
| <b>Background:</b>       | This gene is a member of the cytidine deaminase gene family. It is one of a group of related genes found in a cluster, thought to result from gene duplication, on chromosome 22. Members of the cluster encode proteins that are structurally and functionally related to the C to U RNA-editing cytidine deaminase APOBEC1 and inhibit retroviruses, such as HIV, by deaminating cytosine residues in nascent retroviral cDNA. |
| <b>Applications:</b>     | ELISA, WB, IHC   |
| <b>Name of antibody:</b> | APOBEC3D   |
| <b>Immunogen:</b>        | Synthetic peptide of human APOBEC3D  |
| <b>Full name:</b>        | apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like 3D  |

|                                    |  |
|------------------------------------|--|
| <b>Synonyms:</b>                   | A3D; ARP6; APOBEC3E; APOBEC3DE                 |
| <b>SwissProt:</b>                  | Q96AK3   |
| <b>ELISA Recommended dilution:</b> | 2000-5000                                      |
| <b>IHC positive control:</b>       | Human breast cancer and Human esophagus cancer |
| <b>IHC Recommend dilution:</b>     | 50-200   |
| <b>WB Predicted band size:</b>     | 47 kDa   |
| <b>WB Positive control:</b>        | 231 , HEPG2 and Jurkat cell lysates            |
| <b>WB Recommended dilution:</b>    | 500-2000                                       |



