

兔抗 LILRB2 多克隆抗体

- 中文名称: 兔抗 LILRB2 多克隆抗体
- 英文名称: Anti-LILRB2 rabbit polyclonal antibody
- 别名: ILT4; LIR2; CD85D; ILT-4; LIR-2; MIR10; MIR-10
- 抗原: LILRB2
- 储存: 冷冻(-20℃)
- 宿 主: Rabbit
- 相关类别: 一抗
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

	This gene is a member of the leukocyte immunoglobulin-like rec eptor (LIR) family, which is found in a gene cluster at chromoso
	mal region 19q13.4. The encoded protein belongs to the subfam
	ily B class of LIR receptors which contain two or four extracellul
	ar immunoglobulin domains, a transmembrane domain, and two
	to four cytoplasmic immunoreceptor tyrosine-based inhibitory m
Background:	otifs (ITIMs). The receptor is expressed on immune cells where it
	binds to MHC class I molecules on antigen-presenting cells and
	transduces a negative signal that inhibits stimulation of an immu
	ne response. It is thought to control inflammatory responses and
	cytotoxicity to help focus the immune response and limit autore
	activity. Multiple transcript variants encoding different isoforms h
	ave been found for this gene.





Applications:	elisa, wb, ihc
Name of antibody:	LILRB2
Immunogen:	Fusion protein of human LILRB2
Full name:	leukocyte immunoglobulin like receptor B2
Synonyms:	ILT4; LIR2; CD85D; ILT-4; LIR-2; MIR10; MIR-10
SwissProt:	Q8N423
ELISA Recommended di lution:	5000-10000
IHC positive control:	Human liver cancer and Human lung cancer
IHC Recommend diluti on:	50-200
WB Predicted band siz e:	65 kDa
WB Positive control:	Hela cell, Raji cell, HepG2 cell lysates
WB Recommended dilu tion:	500-2000





