

小鼠抗 TGFBI 单克隆抗体

中文名称: 小鼠抗 TGFBI 单克隆抗体

英文名称: Anti-TGFBI mouse monoclonal antibody

别 名: transforming growth factor beta induced; CSD; CDB1; CDG2; CSD1; CSD2; CSD3; EBMD; LCD1; BIGH3; CDGG1

- 相关类别: 一抗
- 储 存: 冷冻(-20℃)
- 宿 主: Mouse
- 抗 原: TGFBI
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: mouse monoclonal

技术规格

Background:	This gene encodes an RGD-containing protein that binds t o type I, II and IV collagens. The RGD motif is found in m any extracellular matrix proteins modulating cell adhesion a nd serves as a ligand recognition sequence for several inte grins. This protein plays a role in cell-collagen interactions and may be involved in endochondrial bone formation in c artilage. The protein is induced by transforming growth fac tor-beta and acts to inhibit cell adhesion. Mutations in this gene are associated with multiple types of corneal dystrop hy.
Applications:	WB, IHC
Name of antibody:	TGFBI

TW-reagent.com

全国订货电话 4008-723-722

Immunogen:	Fusion protein of human TGFBI
Full name:	transforming growth factor beta induced
Synonyms:	CSD; CDB1; CDG2; CSD1; CSD2; CSD3; EBMD; LCD1; BIGH3; CDGG1
SwissProt:	Q15582
IHC positive control:	Human kidney tissue and Human liver cancer; Human lymp homa tissue and Human gastric tissue
IHC Recommend dilution:	200-500
WB Predicted band size:	75 KD
WB Positive control:	A549 cell lysate
WB Recommended dilution:	200-1000