

# 兔抗 CLEC10A 多克隆抗体

中文名称：兔抗 CLEC10A 多克隆抗体

英文名称：Anti-CLEC10A rabbit polyclonal antibody

别名：C-type lectin domain containing 10A; HML; MGL; HML2; CD301; CLECSF13; CLECSF14

相关类别：一抗

储存：冷冻 (-20°C)

宿主：Rabbit

抗原：CLEC10A

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

## 技术规格

<b>Background:</b>	This gene encodes a member of the C-type lectin/C-type lectin-like domain (CTL/CTLD) superfamily. Members of this family share a common protein fold and have diverse functions, such as cell adhesion, cell-cell signalling, glycoprotein turnover, and roles in inflammation and immune response. The encoded type 2 transmembrane protein may function as a cell surface antigen. Two transcript variants encoding distinct isoforms have been identified for this gene.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	CLEC10A
<b>Immunogen:</b>	Fusion protein of human CLEC10A

<b>Full name:</b>	C-type lectin domain containing 10A
<b>Synonyms:</b>	HML; MGL; HML2; CD301; CLECSF13; CLECSF14
<b>SwissProt:</b>	Q8IUN9
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human tonsil
<b>IHC Recommend dilution:</b>	40-200



