

## 兔抗 DUSP2 多克隆抗体

- 中文名称: 兔抗 DUSP2 多克隆抗体
- 英文名称: Anti-DUSP2 rabbit polyclonal antibody
- 别 名: PAC1; PAC-1
- 相关类别: 一抗
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 抗 原: DUSP2
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

## 技术规格

Background:	The protein encoded by this gene is a member of the dual specificity protein phosphatase subfamily. These p hosphatases inactivate their target kinases by dephosp horylating both the phosphoserine/threonine and phos photyrosine residues. They negatively regulate member
	s of the mitogen-activated protein (MAP) kinase superf amily (MAPK/ERK, SAPK/JNK, p38), which are associate d with cellular proliferation and differentiation. Differen t members of the family of dual specificity phosphatas es show distinct substrate specificities for various MAP kinases, different tissue distribution and subcellular loc alization, and different modes of inducibility of their e
	xpression by extracellular stimuli.

## TW-reagent.com



Applications:	ELISA, WB, IHC
Name of antibody:	DUSP2
Immunogen:	Synthetic peptide of human DUSP2
Full name:	dual specificity phosphatase 2
Synonyms :	PAC1; PAC-1
SwissProt:	Q05923
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human thyroid cancer and Human liver cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	34 kDa
WB Positive control:	Hela cells
WB Recommended dilution:	200-1000



