

兔抗 ECHS1 多克隆抗体

中文名称：兔抗 ECHS1 多克隆抗体

英文名称：Anti-ECHS1 rabbit polyclonal antibody

别名：SCEH

相关类别：一抗

储存：冷冻 (-20°C)

抗原：ECHS1

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | The protein encoded by this gene functions in the second step of the mitochondrial fatty acid beta-oxidation pathway. It catalyzes the hydration of 2-trans-enoyl-coenzyme A (CoA) intermediates to L-3-hydroxyacyl-CoAs. The gene product is a member of the hydratase/isomerase superfamily. It localizes to the mitochondrial matrix. Transcript variants utilizing alternative transcription initiation sites have been described in the literature. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | ECHS1 |
| Immunogen: | Fusion protein of human ECHS1 |
| Full name: | enoyl CoA hydratase, short chain, 1, mitochondrial |

| | |
|------------------------------------|--|
| Synonyms : | SCEH |
| SwissProt: | P30084 |
| ELISA Recommended dilution: | 1000-2000 |
| IHC positive control: | Human esophagus cancer and human brain |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 31 kDa |
| WB Positive control: | 293T, MCF-7 and PC3 cells, human fetal liver tissue and Hela cells |
| WB Recommended dilution: | 500-2000 |



