

兔抗 MPP6 多克隆抗体

中文名称： 兔抗 MPP6 多克隆抗体

英文名称： Anti-MPP6 rabbit polyclonal antibody

别 名： VAM1; p55T; PALS2; VAM-1

相关类别： 一抗

储 存： 冷冻 (-20°C)

宿 主： Rabbit

抗 原： MPP6

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | Members of the peripheral membrane-associated guanylate kinase (MAGUK) family function in tumor suppression and receptor clustering by forming multiprotein complexes containing distinct sets of transmembrane, cytoskeletal, and cytoplasmic signaling proteins. All MAGUKs contain a PDZ-SH3-GUK core and are divided into 4 subfamilies, DLG-like (see DLG1; MIM 601014), ZO1-like (see TJP1; MIM 601009), p55-like (see MPP1; MIM 305360), and LIN2-like (see CASK; MIM 300172), based on their size and the presence of additional domains. MPP6 is a member of the p55-like MAGUK subfamily (Tseng et al., 2001 [PubMed 11311936]). |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | MPP6 |
| Immunogen: | Synthetic peptide of humanMPP6 |

| | |
|------------------------------------|--|
| Full name: | membrane protein, palmitoylated 6 (MAGUK p55 subfamily member 6) |
| Synonyms: | VAM1; p55T; PALS2; VAM-1 |
| SwissProt: | Q9NZW5 |
| ELISA Recommended dilution: | 2000-5000 |
| IHC positive control: | Human brain |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 61 kDa |
| WB Positive control: | Human fetal brain tissue |
| WB Recommended dilution: | 500-2000 |



