

兔抗 RAF1(Phospho-Ser642) 多克隆抗体

- 中文名称:兔抗 RAF1(Phospho-Ser642) 多克隆抗体
- 英文名称: Anti-RAF1(Phospho-Ser642) rabbit polyclonal antibody
- 别名: NS5; CRAF; Raf-1; c-Raf; CMD1NN
- 相关类别: 一抗
- 储存: 冷冻(-20℃) 避光
- 宿 主: Rabbit
- 抗原: RAF1(Phospho-Ser642)
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

	This gene is the cellular homolog of viral raf gene (
	v-raf). The encoded protein is a MAP kinase kinase
	kinase (MAP3K), which functions downstream of the
	Ras family of membrane associated GTPases to whi
	ch it binds directly. Once activated, the cellular RAF
	1 protein can phosphorylate to activate the dual sp
Background:	ecificity protein kinases MEK1 and MEK2, which in t
	urn phosphorylate to activate the serine/threonine s
	pecific protein kinases, ERK1 and ERK2. Activated E
	RKs are pleiotropic effectors of cell physiology and
	play an important role in the control of gene expre
	ssion involved in the cell division cycle, apoptosis, c
	ell differentiation and cell migration. Mutations in t



全国订货电话 4008-723-722

	his gene are associated with Noonan syndrome 5 a nd LEOPARD syndrome 2. [provided by RefSeq, Jul 2008]
Applications:	WB
Name of antibody:	RAF1(Phospho-Ser642)
Immunogen:	Peptide sequence around phosphorylation site of Se rine 642(T-T-S(p)-P-R) derived from Human C-RAF.
Full name:	Raf-1 proto-oncogene, serine/threonine kinase
Synonyms :	NS5; CRAF; Raf-1; c-Raf; CMD1NN
SwissProt:	P04049
WB Predicted band size:	73 kDa
WB Positive control:	Huvec cells and K562 cells lysates treated with PMA
WB Recommended dilution:	500-1000

