

兔抗 RELA(phospho-Ser311) 多克隆抗体

中文名称：兔抗 RELA(phospho-Ser311) 多克隆抗体

英文名称：Anti-RELA(phospho-Ser311) rabbit polyclonal antibody

别名：p65; NFKB3

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：RELA(phospho-Ser311)

反应种属：Human Mouse Rat

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:	NF-kappa-B is a ubiquitous transcription factor involved in several biological processes. It is held in the cytoplasm in an inactive state by specific inhibitors. Upon degradation of the inhibitor, NF-kappa-B moves to the nucleus and activates transcription of specific genes. NF-kappa-B is composed of NFKB1 or NFKB2 bound to either REL, RELA, or RELB. The most abundant form of NF-kappa-B is NFKB1 complexed with the product of this gene, RELA. Four transcript variants encoding different isoforms have been found for this gene.
Applications:	WB, IHC, IF
Name of antibody:	RELA(phospho-Ser311)
Immunogen:	Peptide sequence around phosphorylation site of serine

	311(F-K-S(p)-I-M) derived from Human NFκB-p65.
Full name:	v-rel avian reticuloendotheliosis viral oncogene homolog A
Synonyms :	p65; NFKB3
SwissProt:	Q04206
IHC positive control:	Human breast carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	60 kDa
WB Positive control:	Hela cells lysates untreated or treated with IFN-α
WB Recommended dilution:	500-1000
IF positive control:	Hela cells
IF Recommend dilution:	100-200



