

兔抗 SCG3 多克隆抗体

中文名称：兔抗 SCG3 多克隆抗体

英文名称：Anti-SCG3 rabbit polyclonal antibody

别 名：SGIII

储 存：冷冻（-20℃）

抗 原：SCG3

宿 主：Rabbit

相关类别：一抗

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | The protein encoded by this gene is a member of the chromogranin/secretogranin family of neuroendocrine secretory proteins. Granins may serve as precursors for biologically active peptides. Some granins have been shown to function as helper proteins in sorting and proteolytic processing of prohormones; however, the function of this protein is unknown. Two transcript variants encoding different isoforms have been found for this gene. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | SCG3 |
| Immunogen: | Fusion protein of human SCG3 |
| Full name: | Secretogranin III |
| Synonyms : | SGIII |

| | |
|------------------------------------|-------------------------------|
| SwissProt: | Q8WXD2 |
| ELISA Recommended dilution: | 1000-2000 |
| IHC positive control: | Human brain |
| IHC Recommend dilution: | 15-50 |
| WB Predicted band size: | 53 kDa |
| WB Positive control: | Mouse intestinum tenue tissue |
| WB Recommended dilution: | 200-1000 |



