

全国订货电话 4008-723-722

## 兔抗 OLFM1 多克隆抗体

- 中文名称: 兔抗 OLFM1 多克隆抗体
- 英文名称: Anti-OLFM1 rabbit polyclonal antibody
- 别名: OLFM1; NOELIN1; AMY; olfactomedin 1; NOE1; Noelin
- 相关类别: 一抗
- 抗原: OLFM1
- 储存: 冷冻(-20℃) 避光
- 宿 主: Rabbit
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal
- 技术规格

Background:	The Olfactomedin family comprises a diverse group of se creted glycoproteins, which includes OLFM1 (Noelin-1), O LFM2 (Noelin-2), OLFM3 (Noelin-3), OLFM4 (Noelin-4), tia rin, pancortin, gliomedin and mycocilin. These proteins ar e implicated in the development of the nervous system. Specifically, OLFM1 and OLFM2 expression is observed in the neural plate and neural crest, as well as in the crania I ganglia in mouse at E8-10, and later in brain tissue an
	d in the zone of polarizing activity in the limb. Overexpr ession of OLFM1 causes an excess of neural crest emigra tions and prolonged neural crest production. OLFM2 part icipates in the regulation of the development of the ante rior nervous system. An Arg144Gln mutation in OLFM2 h as been implicated as a possible cause for open-angle gl aucoma (OAG).

## TW-reagent.com



Applications:	WB, IHC
Name of antibody:	OLFM1
Immunogen:	Fusion protein of human OLFM1
Full name:	olfactomedin 1
Synonyms :	OLFM1; NOELIN1; AMY; olfactomedin 1; NOE1; Noelin
SwissProt:	Q99784
IHC positive control:	Human lung cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	55 kDa
WB Positive control:	Brain tissue; MCF7, A549 and SW480 cells
WB Recommended dilution:	500-2000





全国订货电话 4008-723-722

