

兔抗 SLC1A5 多克隆抗体

- 中文名称: 兔抗 SLC1A5 多克隆抗体
- 英文名称: Anti-SLC1A5 rabbit polyclonal antibody
- 别 名: R16; AAAT; ATBO; M7V1; RDRC; ASCT2; M7VS1
- 相关类别: 一抗
- 储 存: 冷冻(-20℃)
- 宿 主: Rabbit
- 抗 原: SLC1A5
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	Neutral amino acid transporter B(0) is a protein that in h umans is encoded by the SLC1A5 gene. Has a broad sub strate specificity, a preference for zwitterionic amino acid s, and a sodium-dependence. It accepts as substrates all neutral amino acids, including glutamine, asparagine, and branched-chain and aromatic amino acids, and excludes methylated amino acids, anionic amino acids, and cationi c amino acids. Acts as a cell surface receptor for feline e ndogenous virus RD114, baboon M7 endogenous virus a nd type D simian retroviruses.
Applications:	ELISA, WB
Name of antibody:	SLC1A5
Immunogen:	Synthetic peptide of human SLC1A5
Full name:	Solute carrier family 1 (neutral amino acid transporter),



全国订货电话 4008-723-722

	member 5
Synonyms :	R16; AAAT; ATBO; M7V1; RDRC; ASCT2; M7VS1
SwissProt:	Q15758
ELISA Recommended dilution:	2000-5000
WB Predicted band size:	57 kDa
WB Positive control:	Mouse lung tissue
WB Recommended dilution:	500-2000

