

## 兔抗 SLC3A2 多克隆抗体

中文名称：兔抗 SLC3A2 多克隆抗体

英文名称： Anti-SLC3A2 rabbit polyclonal antibody

别名： solute carrier family 3 member 2; 4F2; CD98; MDU1; 4F2HC; 4T2HC; NACAE; CD98HC

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： SLC3A2

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene is a member of the solute carrier family and encodes a cell surface, transmembrane protein. The protein exists as the heavy chain of a heterodimer, covalently bound through di-sulfide bonds to one of several possible light chains. The encoded transporter plays a role in regulation of intracellular calcium levels and transports L-type amino acids. Alternatively spliced transcript variants, encoding different isoforms, have been characterized.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	SLC3A2
<b>Immunogen:</b>	Fusion protein of human SLC3A2
<b>Full name:</b>	solute carrier family 3 member 2

<b>Synonyms:</b>	4F2; CD98; MDU1; 4F2HC; 4T2HC; NACAE; CD98HC
<b>SwissProt:</b>	P08195
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human colorectal cancer and Human liver cancer
<b>IHC Recommend dilution:</b>	30-150
<b>WB Predicted band size:</b>	68 kDa
<b>WB Positive control:</b>	A375 and Jurkat cell lysates
<b>WB Recommended dilution:</b>	500-2000



