

## 兔抗 SLC5A10 多克隆抗体

中文名称：兔抗 SLC5A10 多克隆抗体

英文名称： Anti-SLC5A10 rabbit polyclonal antibody

别名： SGLT5; SGLT-5

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： SLC5A10

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

#### Background:

This gene is a member of the sodium/glucose transporter family. Members of this family are sodium-dependent transporters and can be divided into two subfamilies based on sequence homology, one that co-transport sugars and the second that transports molecules such as ascorbate, choline, iodide, lipoate, monocarboxylates, and pantothenate. The protein encoded by this gene has the highest affinity for mannose and has been reported to be most highly expressed in the kidney. This protein may function as a kidney-specific, sodium-dependent mannose and fructose co-transporter. Alternative splicing results in multiple transcript variants that encode different protein isoforms.

<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	SLC5A10
<b>Immunogen:</b>	Synthetic peptide of human SLC5A10
<b>Full name:</b>	solute carrier family 5 (sodium/sugar cotransporter), member 10
<b>Synonyms:</b>	SGLT5; SGLT-5
<b>SwissProt:</b>	A0PJK1
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human brain and human colorectal cancer
<b>IHC Recommend dilution:</b>	20-100



