

## 兔抗 GNA13 多克隆抗体

中文名称：兔抗 GNA13 多克隆抗体

英文名称： Anti-GNA13 rabbit polyclonal antibody

别名： G13

储存： 冷冻（-20℃）

抗原： GNA13

宿主： Rabbit

反应种属： Human, Mouse, Rat

相关类别： 一抗

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

|                      |  |
|----------------------|--|
| <b>Background:</b>   | Guanine nucleotide-binding protein subunit alpha-13 is a protein that in humans is encoded by the GNA13 gene. Guanine nucleotide-binding proteins (G proteins) are involved as modulators or transducers in various transmembrane signaling systems. G proteins are composed of 3 units; alpha, beta and gamma. The alpha chain contains the guanine nucleotide binding site. Interacts with UBXD5. Interacts with HAX1. Interacts (when active) with PPP5C (via TPR repeats); activates PPP5C phosphatase activity and translocates PPP5C to the cell membrane. |
| <b>Applications:</b> | ELISA, WB, IHC   |

|                                    |  |
|------------------------------------|--|
| <b>Name of antibody:</b>           | GNA13  |
| <b>Immunogen:</b>                  | Fusion protein of human GNA13  |
| <b>Full name:</b>                  | guanine nucleotide binding protein (G protein), alpha 13                                 |
| <b>Synonyms :</b>                  | G13  |
| <b>SwissProt:</b>                  | Q14344   |
| <b>ELISA Recommended dilution:</b> | 2000-5000  |
| <b>IHC positive control:</b>       | Human tonsil and human gastric cancer  |
| <b>IHC Recommend dilution:</b>     | 50-200   |
| <b>WB Predicted band size:</b>     | 44 kDa   |
| <b>WB Positive control:</b>        | A172 and 293T cells, mouse kidney tissue, human testis and brain malignant glioma tissue |
| <b>WB Recommended dilution:</b>    | 500-2000   |



