

## 兔抗 PMEPA1 多克隆抗体

中文名称： 抗 PMEPA1 多克隆抗体

英文名称： Anti-PMEPA1 rabbit polyclonal antibody

别 名： STAG1; TMEPA1

相关类别： 一抗

储 存： 冷冻 (-20°C) 避光

抗 原： PMEPA1

宿 主： Rabbit

反应种属： Human

标记物： Unconjugate

克隆类型： Unconjugate

### 技术规格

<b>Background:</b>	This gene encodes a transmembrane protein that contains a Smad interacting motif (SIM). Expression of this gene is induced by androgens and transforming growth factor beta, and the encoded protein suppresses the androgen receptor and transforming growth factor beta signaling pathways through interactions with Smad proteins. Overexpression of this gene may play a role in multiple types of cancer. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene.
<b>Applications:</b>	WB, IHC, IF
<b>Name of antibody:</b>	PMEPA1
<b>Immunogen:</b>	Synthesized peptide derived from internal of human TMEPA1.
<b>Full name:</b>	prostate transmembrane protein, androgen induced 1

Synonyms :	STAG1; TMEPAI
SwissProt:	Q969W9
IHC positive control:	Human prostate tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	32 kDa
WB Positive control:	HT-29 cells lysate
WB Recommended dilution:	500-3000
IF positive control:	Huvec cells
IF Recommend dilution:	100-500



