

兔抗 PPAT 多克隆抗体

中文名称:	兔抗 PPAT 多克隆抗体
英文名称:	Anti-PPAT rabbit polyclonal antibody
别名:	GPAT; PRAT; ATASE
相关类别:	一抗
抗原:	PPAT
储存:	冷冻 (-20℃)
宿主:	Rabbit
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a member of the purine/pyrimidine phosphoribosyltransferase family. It is a regulatory allosteric enzyme that catalyzes the first step of de novo purine nucleotide biosynthetic pathway. This gene and PAICS/AIRC gene, a bifunctional enzyme catalyzing steps six and seven of this pathway, are located in close proximity on chromosome 4, and divergently transcribed from an intergenic region.
Applications:	ELISA, WB, IHC
Name of antibody:	PPAT
Immunogen:	Fusion protein of human PPAT
Full name:	phosphoribosyl pyrophosphate amidotransferase
Synonyms :	GPAT; PRAT; ATASE

SwissProt:	Q06203
ELISA Recommended dilution:	2000-10000
IHC positive control:	Human cervical cancer and Human brain
IHC Recommend dilution:	100-300
WB Predicted band size:	57 kDa
WB Positive control:	Hela, Raji, Jurkat, A549 and NIH/3T3 cells
WB Recommended dilution:	500-2000



