

## 兔抗 ACOT4 多克隆抗体

中文名称：兔抗 ACOT4 多克隆抗体

英文名称：Anti-ACOT4 rabbit polyclonal antibody

别 名：PTE1B; PTE2B; PTE-Ib

抗 原：ACOT4

储 存：冷冻 (-20°C) 避光

宿 主：Rabbit

反应种属：Human

相关类别：一抗

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

<b>Background:</b>	Acyl-CoA thioesterases are a group of enzymes that catalyze the hydrolysis of acyl-CoAs to the free fatty acid and coenzyme A (CoASH), providing the potential to regulate intracellular levels of acyl-CoAs, free fatty acids and CoASH By similarity. Succinyl-CoA thioesterase that also hydrolyzes long chain saturated and unsaturated monocarboxylic acyl-CoAs.
<b>Applications:</b>	WB, IF
<b>Name of antibody:</b>	ACOT4
<b>Immunogen:</b>	Synthesized peptide derived from internal of human ACOT4.
<b>Full name:</b>	acyl-CoA thioesterase 4
<b>Synonyms :</b>	PTE1B; PTE2B; PTE-Ib
<b>SwissProt:</b>	Q8N9L9

WB Predicted band size:	46 kDa
WB Positive control:	Hela cells and COLO cells lysates
WB Recommended dilution:	500-3000
IF positive control:	MCF-7 cells
IF Recommend dilution:	100-500



