

全国订货电话 4008-723-722

## 兔抗 PRPF8 多克隆抗体

- 中文名称: 兔抗 PRPF8 多克隆抗体
- 英文名称: Anti-PRPF8 rabbit polyclonal antibody
- 别 名: pre-mRNA processing factor 8; PRP8; RP13; HPRP8; PRPC8; SNRNP220
- 相关类别: 一抗
- 抗 原: PRPF8
- 储 存: 冷冻(-20℃)
- 宿 主: Rabbit
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

## 技术规格

| Background:       | Pre-mRNA splicing occurs in 2 sequential transesterificati<br>on steps. The protein encoded by this gene is a compon<br>ent of both U2- and U12-dependent spliceosomes, and f<br>ound to be essential for the catalytic step II in pre-mRN<br>A splicing process. It contains several WD repeats, which<br>function in protein-protein interactions. This protein has a<br>sequence similarity to yeast Prp8 protein. This gene is a<br>candidate gene for autosomal dominant retinitis pigment<br>osa. |
|-------------------|---|
| Applications:     | ELISA, WB, IHC  |
| Name of antibody: | PRPF8   |
| Immunogen:        | Synthetic peptide of human PRPF8  |
| Full name:        | pre-mRNA processing factor 8  |
| Synonyms:         | PRP8; RP13; HPRP8; PRPC8; SNRNP220  |



## 全国订货电话 4008-723-722

| SwissProt:                  | Q6P2Q9                                   |
|-----------------------------|--|
| ELISA Recommended dilution: | 5000-10000                               |
| IHC positive control:       | Human lung cancer and Human liver cancer |
| IHC Recommend dilution:     | 20-100                                   |
| WB Predicted band size:     | 274 kDa                                  |
| WB Positive control:        | Hela, Raji, K562 and 293T cell lysates   |
| WB Recommended dilution:    | 500-2000                                 |





## 全国订货电话 4008-723-722



