

兔抗 FLOT2 多克隆抗体

中文名称： 兔抗 FLOT2 多克隆抗体

英文名称： Anti-FLOT2 rabbit polyclonal antibody

别 名： flotillin 2; ESA; ECS1; ESA1; ECS-1; M17S1

相关类别： 一抗

储 存： 冷冻 (-20°C)

宿 主： Rabbit

抗 原： FLOT2

反应种属： Human, Mouse, Rat

标 记 物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	Caveolae are small domains on the inner cell membrane involved in vesicular trafficking and signal transduction. This gene encodes a caveolae-associated, integral membrane protein, which is thought to function in neuronal signaling. May act as a scaffolding protein within caveolar membranes, functionally participating in formation of caveolae or caveole-like vesicles. May be involved in epidermal cell adhesion and epidermal structure and function.
Applications:	ELISA, WB, IHC
Name of antibody:	FLOT2
Immunogen:	Fusion protein of human FLOT2
Full name:	flotillin 2
Synonyms:	ESA; ECS1; ESA1; ECS-1; M17S1

SwissProt:	Q14254
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer
IHC Recommend dilution:	40-200
WB Predicted band size:	47 kDa
WB Positive control:	Mouse brain tissue, HepG2, A375, Hela cell lysates
WB Recommended dilution:	500-2000



