

兔抗 MADCAM1 多克隆抗体

- 中文名称: 兔抗 MADCAM1 多克隆抗体
- 英文名称: Anti-MADCAM1 rabbit polyclonal antibody
- 别 名: mucosal vascular addressin cell adhesion molecule 1; MACAM1
- 相关类别: 一抗
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 抗 原: MADCAM1
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is an endothelial cell adhesion molecule that interacts preferentially with the I eukocyte beta7 integrin LPAM-1 (alpha4beta7), L-selecti n, and VLA-4 (alpha4beta1) on myeloid cells to direct le ukocytes into mucosal and inflamed tissues. It is a mem ber of the immunoglobulin family and is similar to ICA M1 and VCAM1. At least seven alternatively spliced tran scripts encoding different protein isoforms have been fo und for this gene, but the full-length nature of some v ariants has not been determined.
Applications:	ELISA, WB, IHC
Name of antibody:	MADCAM1
Immunogen:	Synthetic peptide of human MADCAM1



全国订货电话 4008-723-722

Full name:	mucosal vascular addressin cell adhesion molecule 1
Synonyms:	MACAM1
SwissProt:	Q13477
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	50-100
WB Predicted band size:	40 kDa
WB Positive control:	Mouse liver tissue lysate
WB Recommended dilution:	500-2000



